Trade Name: Johnsens Jack Oil

 MSDS NO.
 5594

 Revision Date:
 08/17/2006

 Date Printed
 12/30/2008

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Trade Name: Johnsens Jack Oil

 Chemical Family:
 PETROLEUM HYDROCARBON OIL

 Synonyms:
 None

Emergency Telephone (24 hr.): CHEMTREC 1-800-424-9300

Supplier: Technical Chemical Company, P.O. Box 139, Cleburne, Texas 76033

2. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Weight %	OSHA TWA	OSHA STEL	OSHA SKIN
Hydrotreated middle petroleum Distillates 64742-46-7	20-80	Not Listed	Not Listed	Not Listed
Heavy Hydrotreated Naphthenic Distillates (petroleum) 64742-52-5	20-80	Not Listed	Not Listed	Not Listed

Listed Not Listed	Not Listed
m ³ 500 ppm 1600 mg/m ³ 400 ppm	Not Listed
r	m³ 500 ppm

Component	ACGIH TLV TWA	ACGIH TLV STEL	ACGIH TLV Ceiling
Hydrotreated middle petroleum Distillates 64742-46-7	Not Listed	Not Listed	Not Listed
Heavy Hydrotreated Naphthenic Distillates (petroleum) 64742-52-5	Not Listed	Not Listed	Not Listed

3. HAZARDS IDENTIFICATION

Emergency Overview: May irritate the skin. This material is an eye irritant. Caution: Combustible.

HMIS Classification:Health: 1Flammability: 1Physical Hazard: 0NFPA Rating:Health: 1Flammability: 1Reactivity: 0

4. FIRST AID MEASURES

Eye Contact: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting

the upper and lower lids. Seek medical attention if irritation persists.

Ingestion: Do Not Induce Vomiting. This matrial is practically non- toxic if ingested in small amounts (tablespoonful).

Swallowing amounts larger may cause injury. Seek medical attention.

Trade Name: Johnsens Jack Oil

 MSDS NO.
 5594

 Revision Date:
 08/17/2006

 Date Printed
 12/30/2008

4. FIRST AID MEASURES

Inhalation: Not a hazard under normal use conditions. If inhaled, remove to fresh air. Break an amyl nitrate pearl in a

cloth and hold under nose for 15 seconds. Repeat five times at 15 minute intervals. If not breathing give

artificial respiration. Get immediate medical attention.

Skin Contact: Wash with soap and water. Remove contaminated clothing and shoes, and launder before reuse. If

irritation persists or signs of toxicity occur, seek medical attention. If product is injected into or under the skin, or into any part of the body, the individual should be evaluated immediately by a physician as a

surgical emergency.

5. FIRE FIGHTING MEASURES

Flammable Properties

Flash Point °F(°C): >150 F
Flash Point Method: TAG Open Cup
Flammable Limits in Air - Lower (%): Not Determined
Flammable Limits in Air - Upper (%): Not Determined
Autoignition Temperature °F(°C): Not Determined

Extinguishing Media:
Protection Of Fire-Fighters:

Foam. Water. Dry chemical.

Special Fire-Fighting Procedures:

Wear approved positive-pressure self-contained breathing apparatus and protective clothing. This product is slightly combustible. If heated above its flash point will release flammable vapors which can burn in the open or be expolosive in confined spaces if exposed to ignition source. Mists or sprays may be flamable below oil's normal flash point. Keep away from extreme heat or open flame.

Hazardous Combustion Products:

Fumes and Smoke. Carbon Monoxide. Aldehydes.

Aerosol Comments:

Not Applicable

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Spill Procedures: Action to be taken if material is released

Environmental Precautions:

or spilled:

Wear appropriate protective clothing and equipment to prevent skin and eye contact.

Contain any liquid from leaking containers.

Wear proper protective equipment as specified in the protective equipment section. Remove sources of ignition. Increase area ventilation. Absorb spills on inert material such as perlite, vermiculite, sand or dirt.

Place in double polyethylene bags. Isolate from other waste materials.

Do not allow to enter sanitary drains, sewer or surface and subsurface waters.

7. HANDLING AND STORAGE

Handling and Storage:

Keep container closed when not in use. Avoid contact with skin and eyes. Use only in a well ventilated area. Caution: Combustible. Keep away from heat and open flame. Keep away from food and smoking materials. Wash hands before eating and smoking. Avoid excessive storage temperature Avoid contact with vapors from heated material. Evolves toxic levels of carbon monoxide, carbon dioxide, irritating aldehydes and ketones when heated to combustion.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Showers. Eyewash stations. Use local exhaust.

Eyes: Wear safety glasses or goggles to protect against exposure.

Skin Protection:Use chemical resistant gloves for prolonged skin contact. Wash hands and other exposed areas with mild

soap and water before eating, drinking, smoking and when leaving work.

Respiratory Protection: Use in a well ventilated area. Use an approved NIOSH organic vapor respirator below the TLV. If TLV is

exceeded or overexposure is likely, use positive pressure or self contained breathing apparatus.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colorless to light yellow liquid

Odor: MILD PETROLEÚM
pH Value: Not Determined
Vapor Pressure: Not Determined
Vapor Density (Air=1): Not Determined

Trade Name: Johnsens Jack Oil

 MSDS NO.
 5594

 Revision Date:
 08/17/2006

 Date Printed
 12/30/2008

9. PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point (°F): >400 F

Melting/Freezing Point: Not determined. Solubility in Water: **INSOLUBLE** Bulk Density at 20°C: Not Determined Molecular Weight: Mixture Specific Gravity (H20=1): .9 approx. Viscosity: Not determined. **Evaporation Rate:** Not Determined VOC Content(%): Not determined. **Decomposition Temperature:** Not Known

10. STABILITY AND REACTIVITY

Chemical Stability: STABLE.

Conditions to Avoid: Keep away from heat, sparks and flame. Evolves toxic levels of carbon monoxide, carbon dioxide, irritating

aldehydes and ketones when heated to combustion.

Materials to Avoid: Contact with oxidizing agents.

Hazardous Decomposition Products: Carbon monoxide. and other asphxiants.

Hazardous Polymerization: WILL NOT OCCUR

11. TOXICOLOGICAL INFORMATION

Toxicological Data:

Component	Route	Species	Dose
Hydrotreated middle petroleum Distillates 64742-46-7	Oral	Rats	LD50 >5 g/kg
Heavy Hydrotreated Naphthenic Distillates (petroleum) 64742-52-5	NA	NA	Not known.

Carcinogenicity:

Component	IARC	NTP	OSHA
Hydrotreated middle petroleum Distillates 64742-46-7	Not Listed	Not Listed	Not Listed
Heavy Hydrotreated Naphthenic Distillates (petroleum) 64742-52-5	Not Listed	Not Listed	Not Listed

12. ECOLOGICAL INFORMATION

Remarks: Ecological testing has not been conducted on this product.

13. DISPOSAL CONSIDERATION

Waste Classification:

This product as purchased does not fall under current U.S. EPA RCRA difinitions of hazardous waste.

Under RCRA it is the generator's responsibility to determine the status of the waste at the time of its

disposal. This product does not contain any CERCLA regulated materials.

Waste Management: Not determined.

Disposal Method: Disposal should be made in accordance with federal, state and local regulations.

Trade Name: Johnsens Jack Oil

 MSDS NO.
 5594

 Revision Date:
 08/17/2006

 Date Printed
 12/30/2008

14. TRANSPORTATION INFORMATION

U.S. DOT:

Proper Shipping Name: Not Regulated Hazard Class: Not Regulated UN/NA Number: Not Applicable DOT Packing Group: Not Applicable

IMDG:

Proper Shipping Name:
Hazard Class:
Not Regulated
Hazard Subclass:
Not determined.
UN No.:
Not Applicable
Packing Group:
Not Applicable
No

15. REGULATORY INFORMATION

US Federal Regulations:

Component	SARA 313	SARA 302	TPQ	RQ	
Hydrotreated middle	Not Listed	Not Listed	Not Listed	Not Listed	
petroleum Distillates					
64742-46-7					
Heavy Hydrotreated	Not Listed	Not Listed	Not Listed	Not Listed	
Naphthenic Distillates					
(petroleum)					
64742-52-5					

SARA 311/312 Hazard Catagories: Not Determined.

State Regulations:

Component	California Prop. 65 Cancer list	California - Prop 65 Developmental Toxicity	California Prop. 65 Reproductive Female	California Prop. 65 Reproductive Male
Hydrotreated middle petroleum Distillates 64742-46-7	Not Listed	Not Listed	Not Listed	Not Listed
Heavy Hydrotreated Naphthenic Distillates (petroleum) 64742-52-5	Not Listed	Not Listed	Not Listed	Not Listed

U.S. TSCA: The components of this product are listed on the TSCA Inventory.

Canadian Inventory: The components of this product are listed on the Canadian DSL or NDSL Inventory.

Consumer Product Safety Improvement Act of 2008 General Conformity Certification

The Supplier identified in Section 1 of this MSDS has evaluated this product and certifies it to be labeled and packaged in compliance with the applicable provisions of the Federal Hazardous Substance Act as stated in 16 CFR 1500 and enforced by the Consumer Product Safety Commission, and where applicable the products that require Child Resistant Closures are packaged in accordance with the Poison Prevention Packaging Act as stated in 16 CFR 1700 and enforced by the Consumer Product Safety Commission. All closures have been tested in accordance with the latest protocols. No other testing is required to certify compliance with the above. The date of manufacture is stamped on the product container.

Trade Name: Johnsens Jack Oil

 MSDS NO.
 5594

 Revision Date:
 08/17/2006

 Date Printed
 12/30/2008

16. OTHER INFORMATION

General Notes: Disclaimer:

Do not allow undiluted material or large quantities to reach groundwater, bodies of water or sewer system. The information and recommendations contained herein are based upon tests believed to be reliable. However, the manufacturer/distributor of this product does not guarantee their accuracy or completeness NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE. Adjustment to conform to actual conditions of usage may be required. The manufacturer/distributor assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.